

Wildlife Study References from EMF Research: <http://www.emfresearch.com/emf-wildlife/>

153 peer-reviewed studies or articles reporting significant effects from EMF exposures on wildlife.

1. Algers B, Hennichs K (1983). Biological effects of electromagnetic fields on vertebrates. A review. *Vet Res Commun*; 6(4):265-79 <http://www.ncbi.nlm.nih.gov/pubmed/6359665>
2. Altmann, G. and Warnke, U. (1976), Der Stoffwechsel von Bienen (*Apis mellifica L.*) im 50-Hz-Hochspannungsfeld.
Zeitschrift für Angewandte Entomologie, 80: 267–271.doi: 10.1111/j.1439-0418.1976.tb03324.x <http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0418.1976.tb03324.x/abstract>
3. Balmori A. (2009a). Electromagnetic pollution from phone masts. Effects on wildlife. *Pathophysiology* 16. 191–199. <http://wifiinschools.org.uk/resources/Balmori+2009.pdf>
4. Balmori A. (2009b) The incidence of electromagnetic pollution on wild mammals: A new “poison” with a slow effect on nature? *The Environmentalist*. 30 (1), pg. 90-97. <http://www.springerlink.com/content/e03764404274q481/>
5. Balmori A. (2010). Mobile phone mast effects on common frog (*Rana temporaria*) tadpoles: the city turned into a laboratory. *Electromagn Biol Med*. 29(1-2):31-5. <http://www.ncbi.nlm.nih.gov/pubmed/20560769>
6. Balmori, A (2010). The incidence of electromagnetic pollution on wild mammals: A new “poison” with a slow effect on nature? *The Environmentalist*. 30(1): 90-97. DOI:10.1007/s10669-009-9248-y <http://www.springerlink.com/content/e03764404274q481/>
7. Balmori, A and Ö. Hallberg, (2007) The urban decline of the house sparrow (*Passer domesticus*): a possible link with electromagnetic radiation. *Electromagn. Biol. Med.* 26 141–151. <http://www.ncbi.nlm.nih.gov/pubmed/17613041>
8. Balmori, A. (2005) Possible effects of electromagnetic fields from phone masts on a population of white stork (*Ciconia ciconia*), *Electromagn. Biol. Med.* 24 109–119. www.buergerwelle.de/pdf/effects_of_emf_on_white_stork.pdf.
9. Balmori, A. (2006) The incidence of electromagnetic pollution on the amphibian decline: Is this an important piece of the puzzle? *Toxicological Environmental Chemistry* 88(2): 287–299. <http://www.ingentaconnect.com/content/tandf/gtec/2006/00000088/00000002/art00010;jsessionid=45daaaisp3s1s.alexandra>
10. Balode, S. (1996). Assessment of radio-frequency electromagnetic radiation by the micronucleus test in bovine peripheral erythrocytes. *Sci. Total. Environm.* 180: 81-85. <http://www.ncbi.nlm.nih.gov/pubmed/8717319>

11. Bastide M, Youbicier-Simo BJ, Lebecq JC, Gaiamis J. (2001). Toxicologic study of electromagnetic radiation emitted by television and video display screens and cellular telephones on chickens and mice. *Indoor Built Environ* 10:291–8.<http://ibe.sagepub.com/content/10/5/291.abstract>
12. Batellier F, I. Couty, D. Picard, J.P. Brillard (2008). Effects of exposing chicken eggs to a cell phone in “call” position over the entire incubation period. *Theriogenology* 69: 737–745
<http://www.ncbi.nlm.nih.gov/pubmed/18255134>
13. Beason, RC and P. Semm (2002). Responses of neurons to an amplitude modulated microwavestimulus *Neuroscience Letters* 333: 175–178.<http://www.ncbi.nlm.nih.gov/pubmed/12429376>
14. Becker RO (1984). Electromagnetic Controls Over Biological Growth Processes. *Electromagnetic Biology and Medicine* 3(1-2). 105-118.<http://informahealthcare.com/doi/abs/10.1080/15368378409035962>
15. Begall S, Cerveny J, Neef J, Vojtech O, Burda H. (2008). Magnetic alignment in grazing and resting cattle and deer. *Proc Natl Acad Sci* 105(36):13451-5.<http://www.ncbi.nlm.nih.gov/pubmed/18725629>
16. Berman, E. L., Chacon, D., House, B., Koch, A., Koch, W. E., et al.(1990). Development of chicken embryos in a pulsed magnetic field. *Bioelectromagnetics* 11:169–187.
<http://www.ncbi.nlm.nih.gov/pubmed/2242052>
17. Bernabò N, E. Tettamanti, V. Russo, A. Martelli, M. Turriani, M. Mattoli, B. Barboni (2010). *Theriogenology*. 73(9):1293-1305 [http://www.theriojournal.com/article/S0093-691X\(10\)00047-6/abstract](http://www.theriojournal.com/article/S0093-691X(10)00047-6/abstract)
18. Bigu J. (1973) National Research Centre of Canada. Extract from Ltr-CS-113 “Interaction of electromagnetic fields and living systems with special reference to birds.”<http://www.ncbi.nlm.nih.gov/pubmed/16724328>
19. Bigu-del-Blanco and Romero-Sierra (1975) The properties of bird feathers as converse piezoelectric transducers and as receptors of microwave radiation. I. Bird feathers as converse piezoelectric transducers *Biotelemetry* 2:341-353.<http://www.ncbi.nlm.nih.gov/pubmed/1235241?dopt=AbstractPlus>
20. Bigu-del-Blanco and Romero-Sierra (1975). The properties of bird feathers as converse piezoelectric transducers and as receptors of microwave radiation. II. Bird feathers as dielectric receptors of microwave radiation. *Biotelemetry* 2:354-634
<http://www.ncbi.nlm.nih.gov/pubmed/1242004?dopt=AbstractPlus>
21. Bindokas VP, Gauger JR, Greenberg B. (1988). Mechanism of biological effects observed in honey bees (*Apis mellifera*, L.) hived under extra-high-voltage transmission lines:implications

derived from bee exposure to simulated intense electric fields and shocks. Bioelectromagnetics. 9(3):285-301. <http://www.ncbi.nlm.nih.gov/pubmed/3178903?dopt=Abstract>

22. Blackman CF, House DE, Benane SG, Joines WT, Spiegel RJ. (1988). Effect of ambient levels of power-line-frequency electric fields on a developing vertebrate. Bioelectromagnetics ;9(2):129–140<http://www.ncbi.nlm.nih.gov/pubmed/3377861>

23. Briefing Paper on the Need for Research into the Cumulative Impacts of Communication Towerson Migratory Birds and Other Wildlife in the United Stateshttp://www.healthandenvironment.org/wg_emf_news/6144

24. Bruder B., Boldt A. (1994). Homing pigeons under radio influence. Naturewissenschaften 81(7):316–17. <http://www.springerlink.com/content/0028-1042/81/7/>

25. Bryan TE, Gildersleeve RP. (1988). Effects of nonionizing radiation on birds. Comp Biochem Physiol A Comp Physiol. 89(4):511-30. <http://www.ncbi.nlm.nih.gov/pubmed/2899470>

26. Burchard, J. F., H. Monardes, and D. H. Nguyen. (2003). Effect of 10kV, 30 µT, 60 Hz Electric and Magnetic Fields on Milk Production and Feed Intake in Nonpregnant Dairy Cattle. Bioelectromagnetics 24:557-563. <http://www.ncbi.nlm.nih.gov/pubmed/14603475>

27. Burchard, J. F., Nguyen, D. H. and Rodriguez, R. (2006). Plasma concentrations of thyroxine in dairy cows exposed to 60 Hz electric and magnetic fields. Bioelectromagnetics 27: 553–559<http://www.ncbi.nlm.nih.gov/pubmed/9771588>

28. Burda H, S Begall, J Cervený, J Neef, and P Nemec (2009) Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants. PNAS. 106(14): 5708– 5713. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2667019/>

29. Cammaerts MC, Debeir O, Cammaerts R. (2011). Changes in Paramecium caudatum (Protozoa) near a switched-on GSM telephone. Electromagn Biol Med. 30(1):57-66. <http://informahealthcare.com/doi/abs/10.3109/15368378.2011.566778>

30. Cammaerts MC, P De Doncker, X Patris, F Bellens, Z Rachidi, D Cammaerts (2012). GSM900 MHz radiation inhibits ants' association between food sites and encountered cues. Electromagnetic Biology and Medicine. Posted online on January 23, 2012. (doi:10.3109/15368378.2011.624661)
<http://informahealthcare.com/doi/abs/10.3109/15368378.2011.624661>

31. Clark MW, Gildersleeve RP, Thaxton JP, Parkhurst CR, McRee DI. (1987). Leukocyte numbers in hemorrhaged Japanese quail after microwave irradiation in ovo. Comp Biochem Physiol A Comp Physiol. 87(4):923-32. <http://www.ncbi.nlm.nih.gov/pubmed/2887391>

32. Colin ME, D. Richard, S. Chauzy (1991). Measurement of Electric Charges Carried by Bees: Evidence of Biological Variations. Electromagnetic Biology and Medicine 10(1-2): 17–32. <http://informahealthcare.com/doi/abs/10.3109/15368379109031397>

33. Corbet, SA, J Beament, and D Eisikowitch (1982). Are electrostatic forces involved in pollentransfer? *Plant, Cell, and Environ.* 5: 125-129.
<http://onlinelibrary.wiley.com/doi/10.1111/1365-3040.ep11571488/abstract>
34. Cramer , G. (2007). HAARP Transmissions May Accidentally be Jamming Bees Homing Ability <http://www.hyperstealth.com/haarp/index.htm>
35. Daniells, C., Duce, I., Thomas, D., Sewell, P., Tattersall, J., & de Pomerai, D. (1998).Transgenic nematodes as biomonitor of microwave-induced stress. *Mutation Research*,399(1), 55-64. <http://www.ncbi.nlm.nih.gov/pubmed/9635489>
36. Delgado JMR (1985). Biological Effects of Extremely Low Frequency Electromagnetic Fields. *Electromagnetic Biology and Medicine*, 4(1): 75–92
<http://informahealthcare.com/doi/abs/10.3109/15368378509040362>
37. Doherty and Grubb, (1996). Effects of high-voltage power lines on birds breeding within the power lines electromagnetic fields. *Sialia* 18:129–134 <http://audubon-omaha.org/bbbox/nabs/pdtg1.htm>
38. Dongre S.D. and R.G.Verma (2009). Effect Of Cell Phone Radiation On Gauriya Sparrows *Passer Domesticus*. International Research Journal Vol. II, Issue - 7 <http://ssmrae.com/admin/images/ddf68afa10cc9d1545ce7a5f0460bddf.pdf>
39. Durfee WK, Polk C, Smith LT,Yates VJ. (1975). Extremely Low Frequency Electric andMagnetic Fields in Domestic Birds. University of Rhode Island, Technical Report, Phase I(Continuous Wave), March 1, 1975.
40. Edwards, D. K. (1961). Influence of electrical field on pupation and oviposition in *Nepytiaphantasmaria* stkr. (Lepidoptera, Geometridae). *Nature* 191, 976-993.
<http://www.nature.com/nature/journal/v191/n4792/abs/191976a0.html>
41. Eskov EK.(2006). [Destabilization of the cardiac function of an insect by a low-frequencyelectric field]. *Biofizika*. 51(1):153-5. [Article in Russian].<http://www.ncbi.nlm.nih.gov/pubmed/16521566>
42. Eskov EK., Sapozhnikov AM (1976). [Mechanisms of generation and perception of electricfields by honey bees.] *Biophysik* 21(6): 1097-1102. [Article in Russian]<http://www.ncbi.nlm.nih.gov/pubmed/1009204>
43. Everaert, J. & D. Bauwens, (2007) A possible effect of electromagnetic radiation from mobile phone base stations on the number of breeding House Sparrows (*Passer domesticus*), *Electromagn. Biol. Med.* 26 63–72. <http://www.ncbi.nlm.nih.gov/pubmed/17454083> Full text: http://www.ct.gov/csc/lib/csc/pendingproceeds/docket_409/inlandwetland/409-iw_exh69-79.pdf#page=17(p 40-49).

44. Farrell, J. M., Litovitz, T. L., Penafiel, M., Montrose, C.J., Doinov, P., Barber, M., Brown, K.M., and Litovitz, T. A. (1997). The effect of pulsed and sinusoidal magnetic fields on themorphology of developing chick embryos. Bioelectromagnetics 18:431–438.
<http://www.ncbi.nlm.nih.gov/pubmed/9261540>
45. Favre, D. (2011). Mobile phone-induced honeybee worker piping. Apidologie.
<http://www.springerlink.com/content/bx23551862212177/fulltext.pdf>
46. Fernie KJ, Reynolds SJ. (2005). The effects of electromagnetic fields from power lines on avian reproductive biology and physiology: a review. Toxicol Environ Health B Crit Rev. 8(2):127-40. http://www.ierp.bham.ac.uk/documents/pub_Fernie_and_Reynolds_2005.pdf
47. Fernie, K.J, D.M. Bird, R.D. Dawson, P.C. Lague, (2000) Effects of electromagnetic fields onthe reproductive success of American kestrels, Physiol. Biochem. Zool. 73 60–65.
<http://www.ncbi.nlm.nih.gov/pubmed/10685907>
48. Fernie, K.J. & D.M. Bird, (1999) Effects of electromagnetic fields on body mass and food-intake of American kestrels,
Condor 101 616–621. http://www.avaate.org/IMG/pdf/fernies_cernicalos.pdf
49. Fernie, K.J. & D.M. Bird, (2001) Evidence of oxidative stress in American kestrels exposed toelectromagnetic fields, Environ. Res.
A 86 198–207. <http://www.ncbi.nlm.nih.gov/pubmed/11437466>
50. Fernie, K.J., D M Bird, and D Petitclerc. (1999). Effects of electromagnetic fields on photophasic circulating melatonin levels in American kestrels. Environ Health Perspect.107(11): 901–904. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1566687/>
51. Fernie, K.J., N.J. Leonard, D.M. Bird. (2000). Behavior of free-ranging and captive Americankestrels under electromagnetic fields, J. Toxicol. Environ. Health, Part A 59. 597–603.
<http://www.ncbi.nlm.nih.gov/pubmed/10839495>
52. Friend AW, E. D. Finch and H. P. Schwan. (1975). Low frequency electric field inducedchanges in the shape and motility of amoebas. Science, 187: 357-359.
<http://www.ncbi.nlm.nih.gov/pubmed/1111109>
53. Gabar, A.A. (2010). Biological Effects of Electromagnetic Radiation. PhD Thesis. Agricultural University of Athens.
http://dspace.hua.gr/xmlui/bitstream/handle/10329/817/Gabr_A.pdf?sequence=1
54. Galvin MJ, McRee DI, Hall CA, Thaxton JP, Parkhurst CR. (1981). Humoral and cell-mediatedimmune function in adult Japanese Quail following exposure to 2.45-GHz microwaveradiation during embryogeny. Bioelectromagnetics. 2(3):269-78.
<http://www.ncbi.nlm.nih.gov/pubmed/7306223>

55. Gildersleeve RP, Bryan TE, Galvin MJ, McRee DI, Thaxton JP. (1988). Serum enzymes in hemorrhaged Japanese quail after microwave irradiation during embryogeny. *Comp Biochem Physiol A Comp Physiol.* 89(4):531-4. <http://www.ncbi.nlm.nih.gov/pubmed/2899471>
56. Gildersleeve RP, MJGalvin, DI McRee, JP Thaxton (1986). Response of Japanese quail to hemorrhagic stress after exposure to microwave radiation during embryogeny. *Comp Biochem Physiol A Comp Physiol.* 85(4): 679-687. <http://www.ncbi.nlm.nih.gov/pubmed?term=2879671>
57. Gildersleeve RP, Satterlee DG, McRee DI, Bryan TE, Parkhurst CR. (1988). Plasmacorticosterone in hemorrhaged Japanese quail after microwave irradiation in ovo. *Comp Biochem Physiol A Comp Physiol.* 89(3):415-24.<http://www.ncbi.nlm.nih.gov/pubmed/2896572>
58. Gonet, B., Kosik-Bogacka, D.I., Kuźna-Grygiel, W. (2009). Effects of extremely low-frequencymagnetic fields on the oviposition of *Drosophila melanogaster* over three generations. *Bioelectromagnetics.* 30(8):687-9. <http://www.ncbi.nlm.nih.gov/pubmed/19630039>
59. Goodman, E.M., Greenbaum, B., and Marron, M.T. (1976). Effects of extremely low frequencyelectromagnetic fields on *Physarum polycephalum*. *Radiat. Res.* 66:531. <http://www.jstor.org/discover/10.2307/3574457?uid=3738776&uid=2&uid=4&sid=47698820671907>
60. Graue, L.C. (1975). Orientation of homing pigeons (*Columbia livia*) exposed to electromagneticfields at Project Sanguine's Wisconsin test facility. In Compilation of Navy Sponsored ELF Biomedical and Ecological Research Reports, vol. I. Bethesda, Md: Naval Research and Development Command.
61. Greenberg B, J. C. Kunich, V. P. Binokas. (1978). Effect of High Voltage Transmission on Honeybees, paper presented at 18th Annual Life Sciences Symposium, Richland, Wn.,October 16-18,1978.
62. Greenberg, B., Bindokas, V. P., and Gaujer, J. R. (1981). Biological effects of a 760 kVtransmission line: Exposures and thresholds in honeybee colonies. *Bioelectromagnetics* 2:315 <http://onlinelibrary.wiley.com/doi/10.1002/bem.2250020404/abstract>
63. Grefner, N. M., Yakovleva, T. L., Boreysha, I. K. (1998). Effects of electromagnetic radiation ontadpole development in the common frog (*Rana temporaria* L.). *Russian J. Ecol.* 29:133– 134.
64. Grigor'ev Iu G. (2003). Biological effects of mobile phone electromagnetic field on chick embryo (risk assessment using the mortality rate). *Radiats Biol Radioecol* 43:541–3. <http://www.ncbi.nlm.nih.gov/pubmed/14658287> [Article in Russian]
65. Hamann, H.-J., Schmidt, K.-H., and Wiltschko, W. (1998). Mögliche Wirkungen elektrischer und magnetischer Felder auf die Brutbiologie von Vögeln am Beispiel einer

Population vonhöhlenbrütenden Singvögeln an einer Stromtrasse. Z. Vogelk. Natursch. Hessen VogelUmwelt 9:215–246.

66. Hamrick PE, McRee DI, Thaxton P, Parkhurst CR. (1977). Humoral immunity of Japanese quail subjected to microwave radiation during embryogeny. Health Phys. 33(1):23-33.

[Noabstract] <http://www.ncbi.nlm.nih.gov/pubmed/893100>

67. Harst W., Kuhn J., Stever H.. (2006). Can electromagnetic exposure cause a change in behaviour? Studying possible non-thermal influences on honey bees- An approach within the frame work of Educational Informatics. Acta Systematica – IIAS Intern. J. 6:1–6.
http://www.bemri.org/publications/cat_view/2-publications/5-biological-effects-of-non-ionizing-radiation/17-wildlife.html

68. Hässig M, Jud F, Spiess B. (2012). [Increased occurrence of nuclear cataract in the calf after erection of a mobile phone base station]. Schweiz Arch Tierheilkd. 154(2):82-6. [Article in German] <http://www.ncbi.nlm.nih.gov/pubmed/22287140>

69. Hässig, M. Jud, F. Naegeli, H. Kupper, J. Spiess, B M. (2009). Prevalence of nuclear cataract in Swiss veal calves and its possible association with mobile telephone antenna base stations. Schweizer Archiv für Tierheilkunde. 151.10.471
<http://www.ncbi.nlm.nih.gov/pubmed/19780007>

70. Hillman, D., Charles Goeke, and Richard Moser. (2004). Electric and magnetic fields (EMFs) affect milk production and behavior of cows: Results using shielded-neutral isolation transformer. 12th Int. Conf. On Production Diseases in Farm Animals, Mich. State Univ., College of Veterinary Medicine, July 2004, East Lansing, MI 48824. (Video-DVD available).

71. Hillman, D., D Stetzer, M Graham, CL. Goeke, K E. Mathson, EE, H H. VanHorn, C J. Wilcox,(2003). Relationship of Electric Power Quality to Milk Production of Dairy Herds.Presentation Paper No.033116, American Society of Agricultural Engineers, InternationalMeeting, July 27-30, 2003, Las Vegas, NV, USA. www.pq.goeke.net

72. Hjeresen, D. L., Miller, M. C., Kaune, K. T. and Phillips, R. D. (1982). A behavioral response of swine to a 60 Hz electric field. Bioelectromagnetics 3, 443-451.
<http://onlinelibrary.wiley.com/doi/10.1002/bem.2250030407/abstract>

73. Hultgren, J. (1990a). Small electric currents affecting farm animals and man: A review with special reference to stray voltage. I. Electrical properties of the body and the problem of stray voltage. Veterinary Research Communications, 14:287-298. ©Kluwer Pub., Netherlands. <http://www.springerlink.com/content/x848210574v142m7/>

74. Hultgren, J. 1990b. Small electric currents affecting farm animals and man: A review with special reference to stray voltage. II. Physiological effects and the concept of

stress. Veterinary Research Communications, 14:299-308. ©Kluwer Academic Publishers – Netherlands <http://www.springerlink.com/content/x848210574v142m7/>

75. Hynek Burda, S Begall, J Cervený, J Neef, and P Nemec (2009) Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants. PNAS. 106(14):5708-13 <http://www.ncbi.nlm.nih.gov/pubmed/19299504>

76. Ingole IV and , S. K. Ghosh (2006). Exposure to radio frequency radiation emitted by cell phoneand mortality in chick embryos (*Gallus domesticus*). Biomedical Research 17(3): 205-210 <http://www.indmedica.com/journals.php?journalid=12&issueid=112&articleid=1530&action=article>

77. Janac B Selaković V, Rauš S, Radenović L, Zrnić M, Prolić Z. (2012) Temporal patterns of extremely low frequency magnetic field-induced motor behaviour changes in Mongoliangerbils of different age, Int J Radiat Biol. 2012 Jan 6.

<http://www.ncbi.nlm.nih.gov/pubmed/22221164>

78. Kimmel S, Kuhn J, Harst W, Stever H (2007). Electromagnetic Radiation: Influences on Honeybees (*Apis mellifera*) (IIAS – InterSymp Conference, Baden-Baden 2007) http://www.hese-project.org/hese-uk/en/papers/kimmel_iaas_2007.pdf

79. Kirk, J. H., N.D. Reese, and P C. Bartlett. (1984). Stray Voltage on Michigan Dairy Farms. J.American Veterinary Assoc. 185(4): 426-428 <http://www.ncbi.nlm.nih.gov/pubmed/6469841>

80. Kirschvink JL, S. Padmanabha, CK Boyce, J. Oglesby (1997). Measurement of the thresholdsensitivity of honeybees to weak, extremely low-frequency magnetic fields. The Journal of Experimental Biology 200:1363–68 <http://jeb.biologists.org/content/200/9/1363.full.pdf+html>

81. Klimovitsky VYa, Loginov VA, Zagorskaya EA, Weissleder H, Drescher J, Hecht K. (1992). The evaluation of biological efficiency of electromagnetic fields generated by implantedradiotelemetric transmitters used in space research on animals. Physiologist. 35(1Suppl):S248-9. <http://www.ncbi.nlm.nih.gov/pubmed?term=Hecht%2C%20K.%20emf>

82. Korall, H., Leucht, T., & Martin, H. (1988). Bursts of magnetic fields induce jumps of misdirection in bees by a mechanism of magnetic resonance. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 162(3), 279284.doi: 10.1007/BF00606116. <http://www.springerlink.com/content/v6406173767q7445/>

83. Krueger WF, A. J. Giarola, J. W. Bradley, and A. Shrekenhamer (1975). Effects of Electromagnetic Fields on Fecundity in the Chicken, Ann. N.Y. Acad. Sci., 247: 391 <http://www.ncbi.nlm.nih.gov/pubmed/1054241>

84. Krylov, V.V. (2010). Effects of electromagnetic fields on parthenogenic eggs of *Daphnia magna*Straus. Ecotoxicology and Environmental Safety, 73(1): 62-66. <http://www.ncbi.nlm.nih.gov/pubmed?term=19362370>

85. Kumar N. R., Sangwan S., Badotra P. (2011). Exposure to cell phone radiations produces biochemical changes in worker honey bees. *Toxicol. Int.*. 18:70–72.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3052591/>
86. Larkin RP and PJ Sutherland (1977) Migrating birds respond to Project Seafarer'selectromagnetic field. *Science* 25 February 1977: 195(4280): 777-9.
<http://www.sciencemag.org/content/195/4280/777.2.abstract>
87. Lefcourt, Alan M., and R. M. Akers. 1981. Endocrine Response of Cows Subjected toControlled Voltages During Milking. *J. Dairy Sci.* 65:2125-2130. 88. Levengood, WC (1969). A new teratogenic agent applied to amphibian embryos. *J. Embryol. Exp. Morphol.* 21:23–31. <http://www.ncbi.nlm.nih.gov/pubmed/5765792>
89. Levin, M. (2003). Bioelectromagnetics in morphogenesis. *Bioelectromagnetics* 24:295–315.
<http://www.ncbi.nlm.nih.gov/pubmed/12820288>
90. Löscher, W. and Käs, G. (1998). Conspicuous behavioural abnormalities in a dairy cow herdnear a TV and Radio transmitting antenna. *Practical Veterinary surgeon*, 29: 5, 437-444
www.croww.org/study-effects.pdf
91. Magras, I.N and T.D. Xenos, (1997) RF-induced changes in the prenatal development of mice, *Bioelectromagnetics* 18. 455–461. <http://www.ncbi.nlm.nih.gov/pubmed/9261543>
92. Marks TA., CC Rathke, WO English. (1995). Controversies in Toxicology—Stray voltage anddevelopment, reproductive and other toxicology problems in dogs, cats and cows: Adiscussion. *Vet Human Toxicol* 37(2):163-172.
93. Marks, T.A., C.C. Ratke and W.O. English. (1995). Stray voltage and developmental,reproductive and other toxicology problems in dogs, cats and cows: a discussion. *Vet. Hum.Toxicol*, 37: 163-172. <http://www.ncbi.nlm.nih.gov/pubmed/7631499>
94. Marks, T.A., C.C. Ratke and W.O. English. (1995). Stray voltage and developmental,reproductive and other toxicology problems in dogs, cats and cows: a discussion. *Vet. Hum.Toxicol*, 37: 163-172. <http://www.ncbi.nlm.nih.gov/pubmed/7631499>
95. Marsh, G. (1968). The effect of 60-cycle AC current on the regeneration axis of Dugesia. *J. Exp. Zool.* 169:65. <http://onlinelibrary.wiley.com/doi/10.1002/jez.1401690109/abstract>
96. Maw, MG. (1962). Behaviour of insects in electrostatic fields. *Proc. Entomol. Soc. Manitoba*. 18,30-36.
97. McKinley G. M. and D.R. Charles (1930). Certain biological effects of high frequency fields, *Science*, 71: 490.
98. McKinley, G. M. (1930). Some biological effects of high frequency electrostatic fields', *Proc. Penn. Acad. Sci* 46.

99. Meral I, Mert H, Mert N, Deger Y, Yoruk I, Yetkin A, Keskin S. (2007). Effects of 900-MHz electromagnetic field emitted from cellular phone on brain oxidative stress and somevitamin levels of guinea pigs. *Brain Res.* 1169:120-4.
<http://www.ncbi.nlm.nih.gov/pubmed/17674954>
100. Neurath, P. W. (1968). High gradient magnetic field inhibits embryonic development of frogs. *Nature* 219: 1358
101. Newland PL, E Hunt, SM Sharkh, N Hama, M Takahata, CW Jackson (2008). Static electricfield detection and behavioural avoidance in cockroaches. *J Exp Biol* 211, 3682-3690.
<http://jeb.biologists.org/content/211/23/3682.full>
102. Nicholls B, Racey PA. (2007). Bats avoid radar installations: Could electromagnetic fieldsdeter bats from colliding with wind turbines? *PloS ONE*. 2(3):e297.
<http://www.ncbi.nlm.nih.gov/pubmed/17372629>
103. Nicholls B, Racey PA. (2009). The aversive effect of electromagnetic radiation on foraging bats: a possible means of discouraging bats from approaching wind turbines. *PLoS One*. 16;4(7):e6246. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2705803/?tool=pubmed>
104. Nittby H, Moghadam MK, Sun W, Malmgren L, Eberhardt J, Persson BR, Salford LG.(2011). Analgetic effects of non-thermal GSM-1900 radiofrequency electromagnetic fields in the land snail *Helix pomatia*. *Int J Radiat Biol.* 2011 Dec 20. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/22124250>
105. Olsen, R.G., (1997). Insect teratogenesis in a standing-wave irradiation system. *RadioScience* 12: 199-207. <http://www.agu.org/pubs/crossref/1977/RS012i06Sp00199.shtml>
106. Orlov, V. M. (1990). Invertebrates and high voltage power lines *Electromagnetic Biology and Medicine* 9(2): 121-131
<http://informahealthcare.com/doi/abs/10.3109/15368379009119800>
107. Orlov, V. M. and Babenko, A. S. (1988). Effect of the electric field of high voltagetransmission lines on land invertebrates. *Sov. J. Ecol.* 18,267 -274
108. Panagopoulos D.J., Karabarounis A., and Margaritis L.H., (2004). Effect of GSM 900-MHz Mobile Phone Radiation on the Reproductive Capacity of *Drosophila melanogaster*, *Electromagnetic Biology and Medicine*, 23(1), 29-43.
<http://www.ncbi.nlm.nih.gov/pubmed/17045516>
109. Perumpral, J. V., Earp, U. F. and Stanley, J. M. (1978). Effects of electrostatic fields onlocational preference of house flies and flight activities of cabbage loopers. *Environ. Entomol.* 7, 482-486.
<http://www.ingentaconnect.com/content/esa/envent/1978/00000007/00000003/art00032>

110. Prolić Z, R Jovanović, G Konjević, B Janać (2003). Behavioral Differences of the Insect Morimus funereus (Coleoptera, Cerambycidae) Exposed to an Extremely Low Frequency Magnetic Field. Electromagnetic Biology and Medicine 22(1): 63–73.<http://informahealthcare.com/doi/abs/10.1081/JBC-120020358>
111. Prolić, Z., Jovanović, Z. (1986) [Influence of magnetic field on the rate of development of honey bee preadult stage]. Periodicum biologorum, Zagreb, 88: 187-188
112. Rejt L, Mazgajski T, Kubacki R, Kieliszek J, Sobiczewska E, Szmigielski S. (2007). Influence of radar radiation on breeding biology of tits (Parus sp.). Electromagn Biol Med .26(3):235-8. <http://www.ncbi.nlm.nih.gov/pubmed/17886009>
113. Rochalska M (2009). [The influence of electromagnetic fields on flora and fauna]. Medycyna pracy 60(1):43-50 [Article in Polish] <http://ukpmc.ac.uk/abstract/MED/19603696>
114. Rochalska M (2007). [The effect of electromagnetic fields on living organisms: plants, birdsand animals]. Medycyna pracy 58(1):37-48 [Article in Polish]
<http://ukpmc.ac.uk/abstract/MED/17571627>
115. Rochalska M.(2007). [The effect of electromagnetic fields on living organisms: plants, birdsand animals]. Med Pr. 58(1):37-48. [Article in Polish]
<http://www.ncbi.nlm.nih.gov/pubmed/17571627>
116. Rodriguez, M., D. Petitclerc, J.F. Burchard, D.H. Nguyen, E. Block and B.R. Downey(2003). Responses of the estrous cycle in dairy cows exposed to electric and magnetic fields(60 Hz) during 8-h photoperiods. Anim. Reprod. Sci., 15: 11-20.
[http://www.journals.elsevierhealth.com/periodicals/anirep/article/S0378-4320\(02\)00273-7/abstract](http://www.journals.elsevierhealth.com/periodicals/anirep/article/S0378-4320(02)00273-7/abstract)
117. Sainudeen Sahib S. (2011). Impact of mobile phones on the density of honeybees. Journal of public administration and policy research 3(4) pp. 131-117.
<http://www.academicjournals.org/jhf/PDF/pdf2011/April/Sainudeen%20sahib.pdf>
118. Sainudeen Sahib.S (2010). Electromagnetic Radiation (EMR) Clashes with Honey Bees. International Journal of Environmental Sciences. 1(5). 897-900.
<http://ipublishing.co.in/jesvol1no12010/EIRES2044.pdf>
119. Salama N, Kishimoto T, Kanayama HO, Kagawa S. (2010). Effects of exposure to a mobile phone on sexual behavior in adult male rabbit: an observational study, Int J Impot Res .22(2):12733 <http://www.ncbi.nlm.nih.gov/pubmed/19940851>
120. Savić T, Janać B, Todorović D, Prolić Z. (2011). The embryonic and post-embryonicdevelopment in two Drosophila species exposed to the static magnetic field of 60 mT. Electromagn Biol Med. 30(2):108-14. <http://www.ncbi.nlm.nih.gov/pubmed/21591895>

121. Semm P.(1983) Neurobiological investigation of the magnetic sensitivity of the pineal glandin rodents and pigeons. Comp Biochem Physiol A 76:683–689
<http://www.sciencedirect.com/science/article/pii/0300962983901299>
122. Severini, M and Bosco,L. (2010). Delayed maturation of *Xenopus laevis* (Daudin) tadpolesexposed to a weak ELF magnetic field: sensitivity to small variations of magnetic fluxdensity. Eur. J. Oncol. Library. 5: 247-60. <http://www.emf-portal.de/viewer.php?l=g&aid=18903>
123. Sharma V.P. and N.R. Kumar (2010). Changes in Honeybee Behaviour and Biology Under the Influence of Cellphone Radiations. Current Science 98 (10). 1376-78.
http://www.bemri.org/publications/doc_view/286-changes-in-honeybee-behaviour-and-biology-under-the-influence-of-cellphone-radiations.raw?tmpl=component
124. Sheiman I. M., Kreshchenko N. D. (2009). [Influence of weak electromagnetic field on different forms of behavior in grain beetle, *Tenebrio molitor*] [Article in Russian]. Zh Vyssh Nerv Deiat Im I P Pavlova. Jul-Aug; 59(4):488-94.
<http://www.ncbi.nlm.nih.gov/pubmed/19795812>
125. Shutenko, O. I., et al. (1981). Effects of super-high electromagnetic fields on animals of different ages. Gigiyena i Sanitariya, no. 10:35-38, JPRS 84 221: 85-90.
126. Southern W. (1975). Orientation of Gull Chicks Exposed to Project Sanguine's Electromagnetic Field, Science, 189: 143.
<http://www.sciencemag.org/content/189/4197/143.short>
127. Stärk, K. D., Krebs, T., Altpeter, E., Manz, B., Griot, C., & Abelin, T. (1997). Absence of chronic effect of exposure to short-wave radio broadcast signal on salivary melatonin concentrations in dairy cattle. Journal of Pineal Research, 22(4), 171-6.
<http://www.ncbi.nlm.nih.gov/pubmed/9247202>
128. Summers-Smith, J.D. (2003). The decline of the house sparrow: a review. Brit. Birds 96:439–446. <http://www.ndoc.org.uk/articles/passerne1.htm>
129. Tanner J.A. (1969) National Research centre of Canada Extract from LTR-CS-18. “Effects of microwave radiation on Parakeets in Flight”
130. Tanner J.A., C. Romero-Sierra (1982). The Effects of Chronic Exposure to Very Low Intensity Microwave Radiation on Domestic Fowl. Electromagnetic Biology and Medicine. 1(2): 195–205. <http://informahealthcare.com/doi/abs/10.3109/15368378209040336>
131. Tanner JA, C. Romero-Sierra and S.J. Davie (1969) The Effects of Microwaves on Birds:Preliminary Experiments. JMPEE 4(2): 122-28. http://www.jmpee.org/JMPEE_PDFs/04-2.bl/JMPEE-Vol4-Pg122-Tanner.pdf

132. Tanner JA, Romero-Siena C. and Davie, SJ. (1969). The effects of microwave on birds: preliminary experiments. *Journal of Microwave Power*. 4(2): 122. (Cited in McRee 1972).
133. Tanner JA. (1966). Effect of microwave radiation on birds. *Nature*. 7; 210(5036):636.
<http://www.ncbi.nlm.nih.gov/pubmed/5964569>
134. Tanner, J.A. & DR. Sierra, romero (1973) Dept of Anatomy, Queen University, KingstonCanada Extract from LTR- Cs-89. "Bird Feathers as Dialectic Receptors of MicrowaveRadiation."
135. Temuryants NA, Demtsun NA (2010). Seasonal differences in the regeneration of planariansunder conditions of long-term electromagnetic shielding. *Biophysics* 55(4): 628-632,
<http://www.springerlink.com/content/h34v2v174357v524/>
136. Ubeda, A., J Leal, M A Trillo, M A Jimenez, and J M Delgado. (1983). Pulse shape of magnetic fields influences chick embryogenesis. *Anat.* 137(Pt 3): 513–536.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1171845/pdf/janat00207-0069.pdf>
137. Úbeda, A; M.A. Trillo, L. Chacón, M.J. Blanco, J. Leal (1994). Chick embryo developmentcan be irreversibly altered by early exposure to weak extremely-low-frequency magneticfields, *Bioelectromagnetics* 15 (1994) 385–398.
<http://www.ncbi.nlm.nih.gov/pubmed/7802707>
138. Walker MM and M.E. Bitterman (1989). Honeybees Can Be Trained to Respond to VerySmall Changes in Geomagnetic Field Intensity. *J. Exp. Biology* 145, 489-494
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1851986/>
139. Warnke . U. (1976). Effects of electric charges on honeybees Effects of electric charges onhoneybees . *Bee World* 57(2):50-56. <http://bemri.org/publications/biological-effects-of-non-ionizing-radiation.html>
140. Warnke . U. (2007). Birds, Bees and Mankind. The Competence Initiative for the Humanity, Environment and Democracy. Brochure 1.
http://www.bemri.org/publications/cat_view/2-publications/5-biological-effects-of-non-ionizing-radiation/17-wildlife.html
141. Wasserman et al. (1984) The effects of microwave radiation on avian dominance behavior *Bioelectromagnetics* 5:331-
339 <http://www.ncbi.nlm.nih.gov/pubmed/6487384?dopt=Abstract>
142. Watson DB (1988). The bouncing of *Drosophila melanogaster* in power frequency electricfields *New Zealand Entomologist* 11(1): 21–24
http://www.ento.org.nz/nzentomologist/free_issues/NZEnto11_1_1988/Volume%2011-21-24.pdf

143. Weisbrod D, Lin H, Ye L, Blank M, Goodman R. (2003). Effects of mobile phone radiationon reproduction and development in *Drosophila melanogaster*. *J Cell Biochem.* 1;89(1):48-55 <http://www.ncbi.nlm.nih.gov/pubmed/12682907>
144. Wellenstein, G. (1973). The influence of high tension lines on honey bee colonies. *Zeitschrift fur Angewandte Entomologie*, 74, 86-94
145. Williams, T.C. (1976). A radar investigation of the effects of extremely low frequencyelectromagnetic fields on free flying migrant birds. In Compilation of Navy Sponsored ELF Biomedical and Ecological Research Reports, vol. 3. Bethesda, Md.: Naval Research andDevelopment Command.
146. Windle BC. (1895). The Effects of Electricity and Magnetism on Development. *J Anat Physiol.* 29(Pt 3): 346–351 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1328408/>
147. Youbicier-Simo, B. J, Boudard, F., Cabaner, C., and Bastide, M. (1997). Biological effectsof continuous exposure of embryos and young chickens to electromagnetic fields emitted byvideo display units. *Bioelectromagnetics* 18:514–523.
[http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1521-186X\(1997\)18:7%3C514::AID-BEM7%3E3.0.CO;2-5/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1521-186X(1997)18:7%3C514::AID-BEM7%3E3.0.CO;2-5/abstract)
148. Zareen N, Khan MY. (2008). Effect of mobile phone induced electromagnetic fields on thedevelopment of chick embryo. *J Coll Physicians Surg Pak.* 18(8):528-9.
<http://www.ncbi.nlm.nih.gov/pubmed/18798598>
149. Zareen N, MYKhan, LA Minhas (2009). Dose Related Shifts In The DevelopmentalProgress Of Chick Embryos Exposed To Mobile Phone Induced Electromagnetic Fields. *J Ayub Med Coll Abbottabad.* 21(1): 130-34.
<http://www.ncbi.nlm.nih.gov/pubmed/20364761>; <http://ayubmed.edu.pk/JAMC/PAST/21-1/Zareen.pdf>
150. Stindl R, Stindl W Jr. (2010) Vanishing honey bees: Is the dying of adult worker bees aconsequence of short telomeres and premature aging?, *Med Hypotheses.* 75(4):387-90.
151. van Engelsdorp D, Hayes J Jr, Underwood RM, Pettis J. (2008) A survey of honey beecolony losses in the U.S., fall 2007 to spring 2008. *PLoS One.* 3(12):e4071.
152. Bacandritsos N, Granato A, Budge G, Papanastasiou I, Roinioti E, Caldon M, Falcaro C, Gallina A, Mutinelli F. (2010) Sudden deaths and colony population decline in Greek honey bee colonies. *J Invertebr Pathol.* Sep 23 <http://www.ncbi.nlm.nih.gov/pubmed/20804765>
153. Erickson, EH (1975). Surface electric potentials on worker honeybees leaving and enteringthe hive. *J. Apic. Res.* 14: 141-147.

Also see: http://www.bemri.org/publications/cat_view/2-publications/5-biological-effects-of-non-ionizing-radiation/17-wildlife.html

ABOUT

EMF Research is an independent research resource into electromagnetic fields (EMF) for public education purposes, focused primarily on Radiofrequency EMF (RF-EMF) and Extremely-Low Frequency (ELF-EMF) fields.

CREDITS

Where possible, we have credited sources used. Any Copyright (C) remains with the originators.
Search for:

NAVIGATION

- [Peer-Reviewed, Scientific Studies](#)
- • [Epidemiological Studies](#)
- • [Industry/Government-Funded Studies](#)
- • [Videos](#)
- • [Books](#)
-
- [Exposure Guidelines](#)
- [Appeals by medical doctors, scientists and other experts](#)